




# **FLEXILUX ACCESSORIES**

# **Visual Inspection Adapters**

The following accessories for visual inspection can be used with all FLEXILUX instruments.



Code No.	Technical Data
WA.120120	120° angled viewing eyepiece, rotatable Length of branch 120 mm



WA.120360	120° angled viewing eyepiece, rotatable
	Length of branch 360 mm



20.412.ACM	Variozoom eyepiece with adjustable
	image size
	Magnification 10x - 20x



20.408 Eyecup fitting all eyepieces

0299 - 401 -



# **FLEXILUX ACCESSORIES**

### Photo+Video

All FLEXILUX borescopes and fiberscopes are supplied with a 132 mm standard eyepiece, which allows rapid connection by quick clutch onto the following adapters.

### **Standard TV Adapter**

suitable for all TV cameras with C-Mount thread



Code No.	Description	
20.413.F25.ACM	(f=25 mm)	
20.413.F30.ACM	(f=30 mm)	
20.413.F40.ACM	(f=40 mm)	

# **Focussing TV Adapter**


suitable for all TV-cameras with C-Mount thread, to be used with standard borescopes with Fixfocus



Code No.	Description	
TVAD.FOK.F25	(f=25 mm)	
TVAD.FOK.F30	(f=30 mm)	
TVAD.FOK.F40	(f=40 mm)	

# Variozoom TV Adapter

suitable for all TV cameras with C-Mount thread



Code No.	Description
20.409.ACM	For stepless image size adjustment

Picture size depends on borescopes-system and camera chip.

0299 - 402 -





# **FLEXILUX ACCESSORIES**

### Photo+Video

All FLEXILUX borescopes and fiberscopes are supplied with a british standard eyepiece, which allows rapid connection by quick clutch onto the following adapters.

### **Standard Photo Adapter**



Code No.	Description
20.428.ACM	When ordering this adapter please provide camera type of your SLR-camera.

# Variozoom Photo Adapter



Code No.	Description
20.410.ACM	When ordering this adapter please provide camera type of your SLR-camera.

#### **Canon EOS SLR**



Code No.	Description
Canon.EOS.Einheit	Canon EOS SLR camera with data indication and 50 mm objective.

0299 - 403 -